

Sequoia Fitted Bathroom Furniture Installation and User Guide

MODEL NUMBERS

2721W-F27, 2722W-F27, 2723W-F27, 2724W-F27, 2724W-HU, 2725W-F27, 2725W-HU, 2726W-F27, 2726W-HU, 2694W-CP, 2685W-NF, 2686W-NF, 2687W-NF, 2688W-F27, 2688W-HU, 2689W-F27, 2689W-HU, 2695W-F27, 2693W-L-F27, 2693W-L-HU, 2693W-R-F27, 2693W-R-HU, 2690W-NF, 2691W-NF, 2692W-NF

Important! Please quote the above model number(s) when ordering spares

IMPORTANT

INSTALLER: THIS MANUAL IS THE PROPERTY OF THE CUSTOMER AND MUST BE RETAINED WITH THE PRODUCT FOR MAINTENANCE AND OPERATIONAL PURPOSES.

CONTENTS

| | |
|---|-----------|
| Description..... | 2 |
| Safety:Warnings | 2 |
| Installation | 3 |
| Install the Rectangular Mirror with Halagen Lighting..... | 3 |
| Install the Mirrored Cabinet | 5 |
| Install the Mirror with Magnifying Mirror | 7 |
| Install the 1200 mm Base Unit | 9 |
| Install the 600 and 900 mm Base Unit | 10 |
| Continue with the Installation | 11 |
| Install the Countertops | 12 |
| Install the Washbasin | 13 |
| Install the Drawer Handles | 13 |
| Door Adjustment..... | 14 |
| User Maintenance..... | 15 |
| Cleaning | 15 |
| Customer Care..... | 16 |

DESCRIPTION

This installation and user guide covers the installation of the Sequoia range of fitted bathroom furniture.

SAFETY:WARNINGS


Kohler products are precision-engineered and should give continued superior and safe performance, provided:

They are installed and maintained in accordance with the recommendations given in this manual.

Carefully inspect the new furniture for any signs of damage.

INSTALLATION

Install the Rectangular Mirror with Halogen Lighting




1. Decide on the location of the mirror.
2. Mark the positions of the fixing holes for the wall hanging brackets and the incoming electrical supply to the dimensions given.
3. Using a suitable drill, drill the hole for the fixing screws. Fit suitable wall plugs.

Note! There are no fixing screws or wall plugs supplied with this product. Special consideration should be given to the fixing arrangements when installing on to a dry lined, stud partition or laminated panel wall structures. Installers may wish to obtain alternative proprietary cavity fixing, or choose other options, however, these methods of fixing are beyond the scope of this guide.

4. Fit the wall hanging brackets with the fixing screws
5. Position the mirror on the wall and make sure that the pre-installed bracket on the back of it rests on the wall hanging bracket installed on the wall.
6. Use the adjustment screws on the top of the mirror to make sure that it is level.
7. Connect the electrical supply to the electrical connectors.


Install the Mirrored Cabinet




1. Decide on the location of the mirrored cabinet.
2. Mark the positions of the fixing holes for the wall hanging brackets and the incoming electrical supply to the dimensions given.
3. Using a suitable drill, drill the hole for the fixing screws. Fit suitable wall plugs.

Note! There are no fixing screws or wall plugs supplied with this product. Special consideration should be given to the fixing arrangements when installing on to a dry lined, stud partition or laminated panel wall structures. Installers may wish to obtain alternative proprietary cavity fixing, or choose other options, however, these methods of fixing are beyond the scope of this guide.

4. Fit the wall hanging brackets with the fixing screws
5. Remove the doors from the mirrored cabinet.




6. Position the mirror on the wall and make sure that the pre-installed bracket on the back of it rests on the wall hanging bracket installed on the wall.
7. Use the adjustment screws on the top of the mirror to make sure that it is level.
8. Connect the electrical supply to the electrical connectors.



9. Refit the doors from the mirrored cabinet.
10. Fit the lamp housing to the top of the mirror with the screws provided.
11. Fit the bulb to the lamp housing (refer to bulb installation procedure).


Install the Mirror with Magnifying Mirror



1. Decide on the location of the mirror.
2. Carefully remove the mirror from the wall bracket.
3. Carefully remove the fluorescent lights from the wall bracket.
2. Mark the positions of the fixing holes for the wall bracket and the incoming electrical supply to the dimensions given.
3. Using a suitable drill, drill the hole for the fixing screws. Fit suitable wall plugs.



Note! There are no fixing screws or wall plugs supplied with this product. Special consideration should be given to the fixing arrangements when installing on to a dry lined, stud partition or laminated panel wall structures. Installers may wish to obtain alternative proprietary cavity fixing, or choose other options, however, these methods of fixing are beyond the scope of this guide.

4. Connect the electrical supply to the electrical connectors.




5. Hang the wall bracket in position on the fixing screws.
6. Refit the fluorescent lights.
7. Carefully refit the mirror.
8. Carefully fit the magnifying mirror onto the mirror.

Install the 1200 mm Base Unit



1. Remove the drawers from the base units.




2. Decide on the location of the base units.
3. Mark the positions of the fixing holes for the wall hanging brackets to the dimensions given.
4. Using a suitable drill, drill the hole for the fixing screws. Fit suitable wall plugs.


Note! There are no fixing screws or wall plugs supplied with this product. Special consideration should be given to the fixing arrangements when installing on to a dry lined, stud partition or laminated panel wall structures. Installers may wish to obtain alternative proprietary cavity fixing, or choose other options, however, these methods of fixing are beyond the scope of this guide.

5. Fit the wall hanging brackets with the fixing screws

Install the 600 and 900 mm Base Unit




1. Remove the drawers from the base units.




2. Decide on the location of the base units.
3. Mark the positions of the fixing holes for the wall hanging brackets to the dimensions given.
4. Using a suitable drill, drill the hole for the fixing screws. Fit suitable wall plugs.

Continue with the Installation




1. If necessary, fit the feet to the base of the unit with the supplied fixing screws.
2. Fully unscrew the bottom adjusting screws. This will give you enough clearance when hanging the base unit.
3. Fit the unit in position on the wall, lifting it over the wall hanging brackets.
4. Use a spirit level to make sure that the unit is level.
5. Level the base unit by adjusting the attachment screws. The top screw will adjust the unit vertically, and the bottom screw will adjust it horizontally.




6. Refit the drawers.

Install the Countertops

Note! The counter top can be installed on the base unit or with wall brackets.




1. Apply silicone sealant in accordance with the manufacturer's instructions to the top surface of the base unit.
2. Fit the countertop in position on the base unit and secure in position with the brackets and the screws.
3. Remove any excess sealant.



4. Decide on the location of the wall brackets.
5. Mark the positions of the fixing holes for the wall brackets.
6. Using a suitable drill, drill the hole for the fixing screws. Fit suitable wall plugs.
7. Secure the wall brackets to the wall with the supplied fixing screws.
8. Place the countertop in position on the wall brackets and secure with the fixing screws.


Install the Washbasin

Note! Before installing the washbasin or vessel you will need to cut a hole in the countertop. An **Installation Template** is supplied with each washbasin/vessel.



1. Apply silicone sealant in accordance with the manufacturer's instructions around the opening for the washbasin.
2. Install the washbasin making sure that it is orientated correctly.
3. Remove and excess sealant.


Install the Drawer Handles



Note! Installing the door handles is optional. In some configurations door handles are not required.

1. Install the door handles and secure in position with the screws.


Door Adjustment



B-Lateral
Loosen screw 'B'.
Adjust door and
retighten screw.

C-Horizontal
Loosen screw 'B' ½ turn.
Turn screw 'C' until door
is positioned correctly
and retighten screw 'B'.

A-Vertical
Loosen screw 'A' on all
hinges. Adjust door and
retighten screw.



- 1. If necessary, adjust the doors to fit as shown in the above diagram.

USER MAINTENANCE

Cleaning

Caution! Risk of product damage. Many cleaners contain abrasive and chemical substances, and should not be used for cleaning stainless steel, wood, enamel, plated or plastic fittings. These finishes should be cleaned using a mild washing up detergent or soap solution, rinsed and then wiped dry with a soft clean cloth.

Door and Cabinet Care: Usually regular cleaning with a damp cloth is sufficient. Never use strong detergents or abrasive cleaners as this may damage the surface finish of your furniture.

Glass Care: When cleaning glass panels or mirrors, use a damp cloth or leather with washing-up liquid or soft soap. Do not use washing powders or any other substance containing abrasives, as these will scratch the glass. Bathroom furniture may deteriorate if subjected to heavy water spillage or prolonged condensation. Any edges that may come into contact with water must be sealed.

We strongly recommend that all installations are well ventilated, failure to do so may invalidate your guarantee.

CUSTOMER CARE

Guarantee of Quality

Kohler UK guarantee products against any defect of materials or workmanship for the following periods

25 Years

Ceramic Ware and Cast Products

10 Years

Stainless Steel Products and, Acrylic Baths

5 Years

**Shower Valves, Taps, Cistern
Fittings, Toilet Seats and Bath
Panels**

2 Years

**Bathroom Furniture and
Accessories**

1 Year

Whirlpool / Spa Baths

Our confidence in the quality and reliability of our superior products enables us to offer a comprehensive guarantee for all products.

To register and fully benefit from this guarantee you must return the enclosed product registration card indicating the Kohler items you have purchased.

Within the guarantee period we will undertake to resolve any material defects, by providing replacement parts, modules or complete product, as we deem appropriate. To be free of charge, work must only be undertaken by Kohler UK approved personnel.

To ensure that any problems can be promptly resolved you must contact Kohler UK directly.

Proof of purchase must be provided with any claims.

This guarantee covers products in domestic use, installed and maintained in accordance with the instructions. It covers the purchaser only and is not transferable.

Commercial / Business Use

Any Kohler Bathroom product used within a commercial / business premise is guaranteed for **1 Year** against any defect of materials or workmanship.

Not Covered by this Guarantee

Damage or defects arising from incorrect installation, improper use or lack of maintenance.

Installed product damaged in transit Consequential loss, damage or product removal and installation costs.

General wear and tear.

This guarantee is in addition to your statutory and other legal rights.

To Contact Us

Kitchen and Bathroom Taps and Accessories

Tel: 0870 240 7896

Fax: 01242 282 595

Email: technical@mirashowers.com

Website: www.kohler.co.uk

Showers and Fittings

Tel: 0870 241 0888

Fax: 01242 282 595

Email: technical@mirashowers.com

Website: www.kohler.co.uk

All other Kohler Products

Tel: 0870 850 5551

Fax: 0870 850 5552

Email: info@kohleruk.com

Website: www.kohler.co.uk

Kohler Mira Ltd
Cromwell Road,
Cheltenham GL52 5EP.

The company reserves the right to alter
product specifications without notice.

KOHLER